

Date Prepared: 20 April 2015

Date Revised: 25MAR21

Version: 3.0

SDS – Kerawax 1301

Information

1. Identification of the Substance/Preparation and the Company/Undertaking

1.1 Product identifier:

Product name: Kerawax 1301

REACH registered name: Paraffin waxes and Hydrocarbon waxes

REACH registered No: 01-2119488076-30

CAS Number: 8002-74-2

1.2 Relevant identified uses of the substance or mixture and uses advised against Identified use(s): Sectors of Use:- SU3, SU5, SU7, SU8, SU10, SU11, SU12, SU17, SU19

1.3 Details of the supplier of the safety data sheet:

Kerax Limited Moorland Gate House **Cowling Road** Chorley Lancashire, PR6 9DR

Telephone: +44 (0) 1257 237350

1.4 Emergency telephone number: +44 (0) 7811 262958 (24 Hours)

Email address: laboratory@kerax.co.uk

2. **Hazards Identification**

2.1 Classification of the Substance or Mixture:

Does not contain any components which are hazardous according to or CLP Regulation 1272/2008/EC

2.2 Label Elements:

Does not require a hazard warning label in accordance with CLP Regulation 1272/2008/EC



Date Prepared: 20 April 2015

Date Revised: 25MAR21

Version: 3.0

2.3 Other Hazards:

- PBT: This product is not identified as a PBT / vPvB substance
- Hot liquid may cause thermal burns.

3. Composition

3.1 Substances: fully refined paraffin wax

CAS-No:	Substance Name	Mass % Range	EC Number	REACH Reg No
8002-74-2	Paraffin waxes and Hydrocarbon waxes	100	232-315-6	01-2119488076-30

3.2 Mixtures: N/A

There are no additional ingredients present which, within current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section in accordance with Regulation (EC) No. 1272/2008

4. First aid Measures

4.1 Description of First Aid Measures

General Information: Remove contaminated / saturated clothing immediately. In case of accident or illness seek medical advice immediately.

Inhalation: Remove the affected person to fresh air, keep warm and rest. If recovery is not rapid, obtain medical attention.

Skin Contact: Wash the affected parts of the body with soap and water. No emergency measures are necessary but if adverse skin effects follow, refer for medical attention.

Eye Contact: Flush eyes immediately with fresh water for at least 5 minutes while holding the eyelids open. No emergency measures are necessary but if adverse eye effects follow, refer for medical attention.

Ingestion: Do not induce vomiting. No emergency measures are needed but if adverse health effects follow or large amounts are swallowed, refer for medical attention.

Self-Protection of First Aider: First aider, pay attention to self-protection.



Date Prepared: 20 April 2015

Date Revised: 25MAR21

Version: 3.0

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: Over-heated oil can produce fumes which may be irritant when breathed in.

Skin Contact: May cause slight irritation to skin.

Ingestion: No known significant effects or critical hazards

Eye Contact: May cause slight irritation to eyes

4.3 Indication of any immediate medical attention and special treatment needed

In contact with or splashed by hot liquid:

Skin Contact Cool the skin immediately with cool water. Treat burns according to their severity. Obtain medical attention. Never try to remove the material with solvents.

Contact with eyes Cool the area immediately with cold water. Seek advice of an ophthalmologist.

Specific Treatment: First Aider, decontamination, treatment of symptoms.

Notes to doctor: Treat symptomatically.

5. Firefighting Measures

- 5.1 Extinguishing media: Foam, dry chemical, carbon dioxide, water mist.
- **5.2 Special hazards arising from the substance or mixture:** Slight flammability hazard when exposed to heat or flame. During a fire, toxic gases (carbon monoxide, nitrous gases) may be generated by thermal decomposition or combustion.
- **5.3 Advice for firefighters:** Only suitably trained personnel should attempt to tackle fires. Do not stay in the danger zone without respiratory protective equipment and protective clothing.

6. Accidental Release Measures

KW1301v03

6.1 Personal precautions, protective equipment and emergency procedures: Surfaces may become slippery after spillage.



Date Prepared: 20 April 2015

Date Revised: 25MAR21

Version: 3.0

- **6.2 Environmental precautions:** Water may be used to flush spills away from sources of ignition. Do not allow the product to enter public drainage system or open water courses.
- **6.3 Methods and material for containment and cleaning up:** Use Sand or active clay to absorb spilled substance and remove to containers for disposal
- 6.4 Reference to other Sections: See sections 8 and 13

7. Handling and Storage

- **7.1 Precautions for safe handling:** Avoid skin contact. Avoid inhalation of vapour, mist or fumes. Do not wear contaminated clothing. Avoid contact with the eyes wear chemical protective goggles when handling the product. Protective clothing such as impervious gloves should be worn if skin contact is anticipated. Protective clothing should be regularly inspected and maintained, discard oil saturated leather articles. The use of barrier and after work creams may be beneficial. Wash hands after working with the material.
- **7.2 Conditions for safe storage, including any incompatibilities:** Keep containers tightly closed. Avoid heat and sources of ignition. Store in original containers or in other mild steel or high density polyethylene containers which are closable and clearly labelled. Clean up any spilled material immediately
- **7.3 Specific end use(s):** This material is formulated for various uses.

8. Exposure Controls/Personal Protection

8.1 Control Parameters: TWA TLV (ACGIH): 2 mg/m³ (paraffin wax fumes). However in all circumstances exposure should be kept as low as reasonably possible by good ventilation and safe working practices.

DNEL Values: - No Data Available

PNEC Values: - No Data Available

8.2 Exposure Controls:

Appropriate engineering measures: Facilities storing or utilising this material should be equipped with an eyewash facility.

Respiratory protection: Inhalation of the vapour, fumes or mists should be avoided by safe working practices and good ventilation.



Date Prepared: 20 April 2015

Date Revised: 25MAR21

Version: 3.0

Eye protection: Wear appropriate eye goggles.

Skin protection: No special precautions are needed beyond clean working conditions and safe handling practices. Change heavily contaminated clothing.

Hand protection: Use impervious gloves [conforming to EN374] PVC is suitable for casual contact. If direct contact for more than 2 hours then Neoprene or nitrile gloves recommended.

8.3 Environmental Exposure Controls: See sections 6, 7, 12 and 13

9. Physical and Chemical Properties

9.1 Information on basic chemical and physical properties:

Appearance: Liquid (at elevated temperature)

Solid (at ambient temperature)

Odour: Typical

Odour threshold: Not determined

pH: Neutral Melting point/ Congealing point: 64 - 66°C

Boiling point/ range: Initial boiling point >300 °C **Flash Point:** > 150 °C (ASTM D92, COC)

Evaporation Point: Not determined

Flammability (solid, gas): May be combustible at high temperature

Explosion Limits:

Vapour pressure:

Vapour density:

Relative density (at 15°C):

Solubility in water:

Not determined

Not determined

0.83 – 0.86

<1 mg/l

Solubility in other solvents: Petroleum Ether, Ethyl Acetate

Partition coefficient n-octanol/water: Not determined

Auto-ignition temperature: >200 °C

Decomposition temperature: Not determined

Viscosity (Kinematic, at 100°C): ~6.0cst

Explosive properties:Not determined
Oxidizing properties:
Not determined

9.2 Other Information: None

KW1301v03 Page **5** of **9**



Date Prepared: 20 April 2015

Date Revised: 25MAR21

Version: 3.0

10. Stability and Reactivity

10.1 Reactivity: This product is not reactive under normal storage and handling conditions (see section 7).

10.2 Chemical stability: Under normal storage and handling conditions, this product is stable. May react with strong oxidising agents, especially at high temperatures.

10.3 Possibility of hazardous reactions: No specific hazardous reactions are expected.

10.4 Conditions to avoid: Extremes of temperature (preferably, store between 5 & 39 °C). The product is combustible when heated >300°C.

10.5 Incompatible materials: May react with strong oxidants (e.g. chlorates, peroxides).

10.6 Hazardous decomposition products: Thermal decomposition or incomplete combustion may produce carbon monoxide, nitrous gases and irritating fumes.

11. Toxicological Information

11.1 Information on toxicological effects

Acute Toxicity

Acute Toxicity (oral) LD50 >5000mg/kg - OECD 401 Acute Toxicity (dermal) LD50 >2000mg/kg - OECD 402

Acute Toxicity (inhalation) No data available

Skin Corrosive / Irritation: Not Irritant – OECD 404

Serious Eye Damage Irritation: Not Irritant – OECD 405

Respiratory Sensitisation: No data available

Skin Sensitisation: Non sensitising OECD 406

Repeated Dose Toxicity: No data available

Mutagenicity: Negative – OECD 476

Carcinogenicity: No effect



Date Prepared: 20 April 2015

Date Revised: 25MAR21

Version: 3.0

Reproductive Toxicity: 1 screening for reproductive/developmental

toxicity (OECD 421 or 422) - NOAEL >=1000

mg/kg bw/day.

12. Ecological Information

12.1 Toxicity:

Environmental Fate: Not established

Aquatic toxicity (fish): Pimephales promelas - LL50 > 100 mg/l

(96h) - OECD 203 / ISO 7346 / EEC 84/449/V,

C1

Aquatic toxicity (algae): Pseudokirchnerella subcapitata - NOEL 100

mg/I - OECD 201

Aquatic toxicity (invertebrate): Daphnia magna - EL50 > 10000 mg/l (96 h) -

OECD 202

Mobility: Data not available

Biodegradation: 31% in 28 days

Bioaccumulation potential: Data not available

Other Ecological information: No other adverse effects are observed. Do

not allow uncontrolled leakage of product

into the environment.

Results of PBT and vPvB assessment: This substance does not fulfil the criteria for

being classed as a PBT or vPvB substance.

13 Disposal Considerations

13.1 Waste treatment methods: Transport to authorised waste location, or incinerate under controlled conditions (EU Directives 2000/76/EC and 1999/31EC apply). European Waste Catalogue No. 050199/130899.



Date Prepared: 20 April 2015

Date Revised: 25MAR21

Version: 3.0

14. Transport Information

14.1 UN number: Not Classified.

14.2 UN Proper shipping name: Not Classified

14.3 Transport Hazard Class(es): Not Classified

14.4 Packing Group: Not Classified

14.5 Environmental Hazards: None

14.6 Special Precautions for user: None

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not

Classified

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

Regulation [EC] 1272/2008 Regulation [EC] 1907/2006

15.2 Chemical Safety Assessment: The supplier has not performed a chemical safety assessment of this substance.

International Inventories [X = Listed]

Component	TSCA	DSL	NDSL	NZLoC	TCSI	NLP
Paraffin Waxes and Hydrocarbon	х	х	-	х	х	х
Waxes						

Component	PICCS	ENCS	AICS	IECSC	EINECS	KECL
Paraffin Waxes and Hydrocarbon	х	х	х	х	232-	х
Waxes					315-6	



Date Prepared: 20 April 2015

Date Revised: 25MAR21

Version: 3.0

16. Other Information

Indication of changes:

V2.0 - Section 15 International Inventories added

V3.0 – reference to DSD regulations - section 2 removed.

Abbreviations & Acronyms

PNEC Predicted No Effect Level
DNEL Derived No Effect Level
LD50 Median Lethal Dose

LC50 Median Lethal Concentration

CAS No Chemical Abstract Services number

CLP Classification Labelling and Packaging Regulation

ES Exposure Scenario
EC European Commission

EC No European Chemical Number – EINECS - ELINCS

ECHA European Chemical Agency

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances.

OECD Organisation for Economic Cooperation and Development

DSD Dangerous Substances Directive.

PBT Persistent Bio accumulative Toxic

vPvB very Persistent very Bio accumulative

SU Sectors of Use

DISCLAIMER:

The information and recommendations contained herein are, to the best of Kerax Limited's knowledge and belief, accurate and reliable as of the date issued, but is offered without guarantee or warranty. They relate to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Conditions of use of the material are under the control of the user. Therefore, it is the user's responsibility to satisfy their self as to the suitability and completeness of such information for their own particular use.