

Date Prepared: 20 April 2015 Date Revised: N/A

Version: 1.0

SDS – Keratech 68

Information

1. Identification of the Substance/Preparation and the Company/Undertaking

1.1 Product identifier:

Product name:	Keratech 68
REACH registered name:	White Mineral Oil [Petroleum]
REACH registered No:	01-2119487078-27
CAS Number:	8042-47-5

- 1.2 Relevant identified uses of the substance or mixture and uses advised against Identified use(s): Various uses in lubrication, industrial and pharmaceutical applications. SU3, SU5, SU7, SU8, SU10, SU11, SU12, SU17, SU19
- **1.3** Details of the supplier of the safety data sheet:

Kerax Limited Moorland Gate House Cowling Road Chorley Lancashire, PR6 9DR Telephone: +44 (0) 1257 237350

1.4 Emergency telephone number: +44 (0) 7811 262958 (24 Hours)

Email address: laboratory@kerax.co.uk

2. Hazards Identification

2.1 Classification of the Substance or Mixture: CLP Regulation 1272/2008/EC

Does not contain any components which are hazardous according to DSD [67/548/EC] or CLP Regulation 1272/2008/EC

2.2 Label Elements:

Does not require a hazard warning label in accordance with DSD [67/548/EC] or CLP Regulation 1272/2008/EC



Date Revised: N/A

Version: 1.0

2.3 Other Hazards:

- **PBT:** This product is not identified as a PBT / vPvB substance
- Hot liquid may cause thermal burns.

3. Composition

3.1 Substances: A highly refined medicinal grade white oil

CAS-No:	Substance Name	%	EC Number	REACH Reg No
8042-47-5	White Mineral Oil	100	232-455-8	01-2119487078-27
	(petroleum)			

3.2 Mixtures: Not Applicable

4. First aid measures

4.1 Description of First Aid Measures

General Information: Remove contaminated / saturated clothing immediately. In case of accident or illness seek medical advice immediately.

Inhalation: Remove the affected person to fresh air, keep warm and rest. If recovery is not rapid, obtain medical attention

Skin Contact: Wash the affected parts of the body with soap and water. No emergency measures are necessary but if adverse skin effects follow, refer for medical attention.

Eye Contact: Flush eyes immediately with fresh water for at least 5 minutes while holding the eyelids open. No emergency measures are necessary but if adverse eye effects follow, refer for medical attention.

Ingestion: Do not induce vomiting. No emergency measures are needed but if adverse health effects follow or large amounts are swallowed, refer for medical attention.

Self-Protection of First Aider: First aider, pay attention to self-protection.



Date Prepared: 20 April 2015 Date Revised: N/A *Version: 1.0*

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: Over-heated oil can produce fumes which may be irritant when breathed in.

Skin Contact: May cause slight irritation to skin.

Ingestion: No known significant effects or critical hazards

Eye Contact: May cause slight irritation to eyes

4.3 Indication of any immediate medical attention and special treatment needed

In contact with or splashed by hot liquid:

Skin Contact Cool the skin immediately with cool water. Treat burns according to their severity. Obtain medical attention. Never try to remove the material with solvents.

Contact with eyes Cool the area immediately with cold water. Seek advice of an ophthalmologist.

Specific Treatment: First Aider, decontamination, treatment of symptoms.

Notes to doctor: Treat symptomatically.

5. Firefighting measures

5.1 Extinguishing media: Foam, dry chemical, carbon dioxide, water mist.

5.2 Special hazards arising from the substance or mixture: Slight flammability hazard when exposed to heat or flame. During a fire, toxic gases (carbon monoxide, nitrous gases) may be generated by thermal decomposition or combustion.

5.3 Advice for firefighters: Only suitably trained personnel should attempt to tackle fires. Do not stay in the danger zone without respiratory protective equipment and protective clothing.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures: Surfaces may become slippery after spillage.

6.2 Environmental precautions: Water may be used to flush spills away from sources of ignition. Do not allow the product to enter public drainage system or open water courses.



Date Revised: N/A

Version: 1.0

6.3 Methods and material for containment and cleaning up: Use Sand or active clay to absorb spilled substance and remove to containers for disposal

6.4 Reference to other Sections: See sections 8 and 13

7. Handling and storage

7.1 Precautions for safe handling: Avoid skin contact. Avoid inhalation of vapour, mist or fumes. Do not wear contaminated clothing. Avoid contact with the eyes – wear chemical protective goggles when handling the product. Protective clothing such as impervious gloves should be worn if skin contact is anticipated. Protective clothing should be regularly inspected and maintained, discard oil saturated leather articles. The use of barrier and after work creams may be beneficial. Wash hands after working with the material.

7.2 Conditions for safe storage, including any incompatibilities: Keep containers tightly closed. Avoid heat and sources of ignition. Store in original containers or in other mild steel or high density polyethylene containers which are closable and clearly labelled. Clean up any spilled material immediately

7.3 Specific end use(s): This material is formulated for various uses.

8. Exposure Controls/Personal Protection

8.1 Control Parameters: Oil mist < 5mg/m³. In all circumstances exposure should be kept as low as reasonably possible by good ventilation and safe working practices.

Substance Name	Туре	Exposure Long Term	Value	Population	Effect
Highly Refined Base Oil	DNEL	Dermal	220mg/kg bw/day	Worker	Systemic
	DNEL	Inhalation	160 mg/m³	Worker	Systemic
	DNEL	Dermal	92 mg/kg bw/day	Man via the Environment	Systemic
	DNEL	Inhalation	35 mg/m ³	Man via the Environment	Systemic
	DNEL	Oral	40 mg/kg bw/day	Man via the Environment	Systemic

PNEC Values: - No Data Available



Date Prepared: 20 April 2015 Date Revised: N/A Version: 1.0

8.2 Exposure Controls:

Appropriate engineering measures: Facilities storing or utilising this material should be equipped with an eyewash facility.

Respiratory protection: Inhalation of the vapour, fumes or mists should be avoided by safe working practices and good ventilation.

Eye protection: Wear appropriate eye goggles.

Skin protection: No special precautions are needed beyond clean working conditions and safe handling practices. Change heavily contaminated clothing.

Hand protection: Use impervious gloves [conforming to EN374] PVC is suitable for casual contact. If direct contact for more than 2 hours then Neoprene or nitrile gloves recommended.

8.3 Environmental Exposure Controls: See sections 6, 7, 12 and 13

9. Physical and Chemical Properties

9.1 Information on basic chemical and physical properties:

Appearance:	Colourless Liquid (at elevated temperature) Colourless Liquid (at ambient temperature)
Odour:	Odourless
Odour threshold:	Not determined
pH:	Neutral
Melting point/ Congealing point:	Not Applicable
Boiling point/ range:	310 - 550°C
Flash Point:	> 200°C, (ASTM D92, COC)
Evaporation Rate:	Not determined
Flammability (solid, gas):	May be combustible at high temperature
Explosion Limits:	Not determined
Vapour pressure:	Not determined
Vapour density:	Not determined
Relative density (at 15°C):	0.83 – 0.86 kg/l
Solubility in water:	Insoluble
Solubility in other solvents:	Petroleum Ether, Ethyl Acetate
Partition coefficient n-octanol/water:	Not Determined
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Viscosity (Kinematic, at 100°C):	~9.5 cSt



Date Prepared: 20 April 2015

Date Revised: N/A

Version: 1.0

Viscosity (Kinematic, at 40°C):	65-75 cSt
Explosive properties:	Do not pressurise, cut, weld, braze, solder, drill,
	grind or expose containers to heat or sources of
	ignition.
Oxidizing properties:	Not determined

9.2 Other Information: None

10. Stability and Reactivity

10.1 Reactivity: This product is not reactive under normal storage and handling conditions (see section 7).

10.2 Chemical stability: Under normal storage and handling conditions, this product is stable. May react with strong oxidising agents, especially at high temperatures.

10.3 Possibility of hazardous reactions: No specific hazardous reactions are expected to occur.

10.4 Conditions to avoid: Extremes of temperature (preferably, store between 5 & 39 °C).

10.5 Incompatible materials: May react with strong oxidants (e.g. chlorates, peroxides).

10.6 Hazardous decomposition products: Thermal decomposition or incomplete combustion may produce carbon monoxide, nitrous gases and irritating fumes.

11. Toxicological Information

11.1 Information on toxicological effects – White Mineral Oil

Acute Toxicity

Acute Toxicity (oral) Acute Toxicity (dermal) Acute Toxicity (inhalation)

Skin Corrosive / Irritation:

Respiratory Sensitisation:

Serious Eye Damage Irritation:

LD50>5000mg/kg LD50>2000mg/kg LC50 >5000mg/m³/4hr

No known significant effects or critical hazards.

No known significant effects or critical hazards.

Not available



Date Prepared: 20 April 2015 Date Revised: N/A *Version: 1.0*

Skin Sensitisation:	Not available
Repeated Dose Toxicity:	Prolonged contact to skin or eyes can cause irritation and possible dermatitis.
Mutagenicity:	Not available
Carcinogenicity:	Contains less than 3% DMSO extractables as measured by IP346.
Reproductive Toxicity:	Not available

12. Ecological Information

12 1 Toxicity: White Mineral Oil

12.1 Toxicity: White Mineral Oli	
Environmental Fate:	Not established
Aquatic toxicity (fish):	LC50 >100 mg/l in 96hrs NOEC >=100 mg/l in 96hrs
Aquatic toxicity (algae):	NOEC >=100 mg/l in 72hrs
Aquatic toxicity (invertebrate):	EC50 > 100mg/l in 96hrs in 96h – Daphnia NOEC >=100 mg/l - Daphnia
Mobility:	Not available
Biodegradation:	Inherent (OECD 301B 33.1% in 28 days)
Bioaccumulation potential:	Not available
Other Ecological information:	No known significant effects or critical hazards.

Results of PBT and vPvB assessment: This substance does not fulfil the criteria for being classed as a PBT or vPvB substance.



Date Revised: N/A

Version: 1.0

13 Disposal Considerations

13.1 Waste treatment methods: Transport to authorised waste location, or incinerate under controlled conditions (EU Directives 2000/76/EC and 1999/31EC apply). European Waste Catalogue No. 050199/130899.

14. Transport Information

14.1 UN number: Not Classified.

- 14.2 UN Proper shipping name: Not Classified
- 14.3 Transport Hazard Class(es): Not Classified
- 14.4 Packing Group: Not Classified
- 14.5 Environmental Hazards: None
- 14.6 Special Precautions for user: None

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not Classified

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations Directive 67/548/EC Regulation [EC] 1272/2008 Regulation [EC] 1907/2006

15.2 Chemical Safety Assessment: The supplier has not performed a chemical safety assessment of this substance.



Date Revised: N/A

Version: 1.0

16. Other Information

Indication of changes: All sections revised according to Regulation [EC] No 1272/2008 [CLP] in preparation for the 1 June 2015 deadline.

Abbreviations & Acronyms

PNEC	Predicted No Effect Level
DNEL	Derived No Effect Level
LD50	Median Lethal Dose
LC50	Median Lethal Concentration
CAS No	Chemical Abstract Services number
CLP	Classification Labelling and Packaging Regulation
ES	Exposure Scenario
EC	European Commission
EC No	European Chemical Number – EINECS - ELINCS
ECHA	European Chemical Agency
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances.
NOEC	No Observed Effect Concentration
SU	Sector of Use

DISCLAIMER:

The information and recommendations contained herein are, to the best of Kerax Limited's knowledge and belief, accurate and reliable as of the date issued, but is offered without guarantee or warranty. They relate to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Conditions of use of the material are under the control of the user. Therefore, it is the user's responsibility to satisfy their self as to the suitability and completeness of such information for their own particular use.