

Date Prepared: 20APR15 Date Revised: 12FEB20 Version: 2.0

# SDS – Kerawax 1305

Information

#### **1.** Identification of the Substance/Preparation and the Company/Undertaking

**1.1 Product identifier:** 

Product name:Kerawax 1305REACH registered name:Not determinedREACH registered No:Not determinedCAS Number:8002-74-2

- 1.2 Relevant identified uses of the substance or mixture and uses advised against Identified use(s): Sectors of Use:- SU3, SU5, SU7, SU8, SU10, SU11, SU12, SU17, SU19
- **1.3** Details of the supplier of the safety data sheet:

Kerax Limited Moorland Gate House Cowling Road Chorley Lancashire, PR6 9DR Telephone: +44 (0) 1257 237350

1.4 Emergency telephone number: +44 (0) 7811 262958 (24 Hours)

Email address: laboratory@kerax.co.uk

#### 2. Hazards Identification

#### 2.1 Classification of the Substance or Mixture:

Does not contain any components which are hazardous according to CLP Regulation 1272/2008/EC

#### 2.2 Label Elements:

Does not require a hazard warning label in accordance with CLP Regulation 1272/2008/EC

#### 2.3 Other Hazards:

• **PBT:** This product is not identified as a PBT / vPvB substance



Date Prepared: 20APR15

Date Revised: 12FEB20

Version: 2.0

#### 3. Composition

3.1 Substances: Not Applicable

3.2 Mixtures: Paraffin Wax (Petroleum)

CAS-No:	Substance Name	Mass % Range	CLP/GHS Classification	EC Number	REACH Reg No
8002-74-	Paraffin waxes and	100	Not	232-315-6	01-2119488076-
2	Hydrocarbon waxes		Classified		30

There are no additional ingredients present which, within current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section in accordance with Regulation (EC) No. 1272/2008

#### 4. First aid measures

#### 4.1 Description of First Aid Measures

**General Information:** Remove contaminated / saturated clothing immediately. In case of accident or illness seek medical advice immediately.

**Inhalation:** Remove the affected person to fresh air, keep warm and rest. If recovery is not rapid, obtain medical attention

**Skin Contact:** Wash the affected parts of the body with soap and water. No emergency measures are necessary but if adverse skin effects follow, refer for medical attention.

**Eye Contact:** Flush eyes immediately with fresh water for at least 5 minutes while holding the eyelids open. No emergency measures are necessary but if adverse eye effects follow, refer for medical attention.

**Ingestion:** Do not induce vomiting. No emergency measures are needed but if adverse health effects follow or large amounts are swallowed, refer for medical attention.

Self-Protection of First Aider: First aider, pay attention to self-protection.

#### 4.2 Most important symptoms and effects, both acute and delayed

**Inhalation:** Over-heated oil can produce fumes which may be irritant when breathed in.

Skin Contact: May cause slight irritation to skin.



## Kerax Ltd – Safety Data Sheet

Date Prepared: 20APR15 Date Revised: 12FEB20 Version: 2.0

Ingestion: No known significant effects or critical hazards

**Eye Contact:** May cause slight irritation to eyes

#### 4.3 Indication of any immediate medical attention and special treatment needed

In contact with or splashed by hot liquid:

**Skin Contact** Cool the skin immediately with cool water. Treat burns according to their severity. Obtain medical attention. Never try to remove the material with solvents.

**Contact with eyes** Cool the area immediately with cold water. Seek advice of an ophthalmologist.

**Specific Treatment:** First Aider, decontamination, treatment of symptoms.

Notes to doctor: Treat symptomatically.

#### 5. Firefighting measures

**5.1 Extinguishing media:** Foam, dry chemical, carbon dioxide, water mist.

**5.2 Special hazards arising from the substance or mixture:** Slight flammability hazard when exposed to heat or flame. During a fire, toxic gases (carbon monoxide, nitrous gases) may be generated by thermal decomposition or combustion.

**5.3 Advice for firefighters:** Only suitably trained personnel should attempt to tackle fires. Do not stay in the danger zone without respiratory protective equipment and PPE.

#### 6. Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures:** Surfaces may become slippery after spillage.

**6.2 Environmental precautions:** Water may be used to flush spills away from sources of ignition. Do not allow the product to enter public drainage system or open water courses.

**6.3 Methods and material for containment and cleaning up:** Use Sand or active clay to absorb spilled substance and remove to containers for disposal

6.4 Reference to other Sections: See sections 8 and 13



Date Prepared: 20APR15 Date Revised: 12FEB20 Version: 2.0

## 7. Handling and storage

**7.1 Precautions for safe handling:** Avoid skin contact. Avoid inhalation of vapour, mist or fumes. Do not wear contaminated clothing. Avoid contact with the eyes – wear chemical protective goggles when handling the product. Protective clothing such as impervious gloves should be worn if skin contact is anticipated. Protective clothing should be regularly inspected and maintained, discard oil saturated leather articles. The use of barrier and after work creams may be beneficial. Wash hands after working with the material.

**7.2 Conditions for safe storage, including any incompatibilities:** Keep containers tightly closed. Avoid heat and sources of ignition. Store in original containers or in other mild steel or high-density polyethylene containers which are closable and clearly labelled.

7.3 Specific end use(s): This material is formulated for various uses.

## 8. Exposure Controls/Personal Protection

**8.1 Control Parameters:** TWA TLV (ACGIH): 2 mg/m<sup>3</sup> (paraffin wax fumes). However in all circumstances exposure should be kept as low as reasonably possible by good ventilation and safe working practices.

DNEL Values: - No Data Available

PNEC Values: - No Data Available

#### 8.2 Exposure Controls:

**Appropriate engineering measures:** Facilities storing or utilising this material should be equipped with an eyewash facility.

**Respiratory protection:** Inhalation of the vapour, fumes or mists should be avoided by safe working practices and good ventilation.

**Eye protection:** Wear appropriate eye goggles.

**Skin protection:** No special precautions are needed beyond clean working conditions and safe handling practices. Change heavily contaminated clothing.

**Hand protection:** Use impervious gloves [conforming to EN374] PVC is suitable for casual contact. If direct contact for more than 2 hours, then use Neoprene or nitrile gloves

**8.3 Environmental Exposure Controls:** See sections 6, 7, 12 and 13

KW 1305v02



## Kerax Ltd – Safety Data Sheet

Date Prepared: 20APR15 Date Revised: 12FEB20 Version: 2.0

## 9. Physical and Chemical Properties

9.1 Information on basic chemical and physical properties:

Liquid (at elevated temperature) **Appearance:** Solid (at ambient temperature) Odour: Typical **Odour threshold:** Not determined pH: Neutral 72°C Melting point/ Congealing point: Initial boiling point >300 °C **Boiling point/ range: Flash Point:** > 150 °C (ASTM D92, COC) **Evaporation Point:** Not determined May be combustible at high temperature Flammability (solid, gas): **Explosion Limits:** Not determined Vapour pressure: Negligible Vapour density: Not determined Relative density (at 15°C): 0.83 - 0.86 Solubility in water: <1 mg/l Solubility in other solvents: Petroleum Ether, Ethyl Acetate Partition coefficient n-octanol/water: Not determined >200 °C Auto-ignition temperature: **Decomposition temperature:** Not determined Viscosity (Kinematic, at 100°C): 6.5 cSt **Explosive properties:** Not determined **Oxidizing properties:** Not determined

9.2 Other Information: None

#### **10.** Stability and Reactivity

**10.1 Reactivity:** This product is not reactive under normal storage and handling conditions (see section 7).

**10.2 Chemical stability:** Under normal storage and handling conditions, this product is stable. May react with strong oxidising agents, especially at high temperatures.

**10.3 Possibility of hazardous reactions:** No specific hazardous reactions are expected.

**10.4 Conditions to avoid:** Extremes of temperature (preferably, store between 5 & 39 °C). The product is possibly combustible when heated >150 °C.

**10.5 Incompatible materials:** May react with strong oxidants (e.g. chlorates, peroxides).



Date Prepared: 20APR15

Date Revised: 12FEB20

Version: 2.0

**10.6 Hazardous decomposition products:** Thermal decomposition or incomplete combustion may produce carbon monoxide, nitrous gases and irritating fumes.

## 11. Toxicological Information

**11.1 Information on toxicological effects** 

#### **Acute Toxicity**

Acute Toxicity (oral) Acute Toxicity (dermal) Acute Toxicity (inhalation)	LD50 >5000mg/kg – OECD 401 LD50 >2000mg/kg – OECD 402 No data available	
Skin Corrosive / Irritation:	Not Irritant – OECD 404	
Serious Eye Damage Irritation:	Not Irritant – OECD 405	
Respiratory Sensitisation:	No data available	
Skin Sensitisation:	Non sensitising OECD 406	
Repeated Dose Toxicity:	No data available	
Mutagenicity:	Negative – OECD 476	
Carcinogenicity:	No effect	
Reproductive Toxicity:	1 screening for reproductive/developmental toxicity (OECD 421 or 422) - NOAEL >=1000 mg/kg bw/day.	

## 12. Ecological Information

Not established
Pimephales promelas - LL50 > 100 mg/l (96h) - OECD 203 / ISO 7346 / EEC 84/449/V, C1
Pseudokirchnerella subcapitata - NOEL 100 mg/l - OECD 201



## Kerax Ltd – Safety Data Sheet

Date Prepared: 20APR15

Date Revised: 12FEB20

Version: 2.0

Aquatic toxicity (invertebrate):	Daphnia magna - EL50 > 10000 mg/l (96 h) - OECD 202
Mobility:	Data not available
Biodegradation:	31% in 28 days
Bioaccumulation potential:	Data not available
Other Ecological information:	No other adverse effects are observed. Do not allow uncontrolled leakage of product into the environment.
Results of PBT and vPvB assessment:	This substance does not fulfil the criteria for being classed as a PBT or vPvB substance.

#### **13** Disposal Considerations

**13.1 Waste treatment methods:** Transport to authorised waste location, or incinerate under controlled conditions (EU Directives 2000/76/EC and 1999/31EC apply). European Waste Catalogue No. 050199/130899.

#### 14. Transport Information

14.1 UN number: Not Classified.

14.2 UN Proper shipping name: Not Classified

14.3 Transport Hazard Class(es): Not Classified

14.4 Packing Group: Not Classified

14.5 Environmental Hazards: None

14.6 Special Precautions for user: None

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not Classified



Date Prepared: 20APR15

Date Revised: 12FEB20

Version: 2.0

### **15. Regulatory Information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

**EU Regulations** 

Regulation [EC] 1272/2008 Regulation [EC] 1907/2006

**15.2 Chemical Safety Assessment:** The supplier has not performed a chemical safety assessment of this substance.

#### **16.** Other Information

Indication of changes: V2.0

[1] 2.1/2.2/15.1 – Reference to DSD [67/548/EC] – Removed[2] 3.2 classifications column added

#### **Abbreviations & Acronyms**

PNEC	Predicted No Effect Level
DNEL	Derived No Effect Level
LD50	Median Lethal Dose
LC50	Median Lethal Concentration
CAS No	Chemical Abstract Services number
CLP	Classification Labelling and Packaging Regulation
ES	Exposure Scenario
EC	European Commission
EC No	European Chemical Number – EINECS - ELINCS
ECHA	European Chemical Agency
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances.
OECD	Organisation for Economic Cooperation and Development
DSD	Dangerous Substances Directive.
РВТ	Persistent Bio accumulative Toxic
vPvB	very Persistent very Bio accumulative
STOT	Specific Target Organ Toxicity

#### DISCLAIMER:

The information and recommendations contained herein are, to the best of Kerax Limited's knowledge and belief, accurate and reliable as of the date issued, but is offered without guarantee or warranty. They relate to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Conditions of use of the material are under the control of the user. Therefore, it is the user's responsibility to satisfy their self as to the suitability and completeness of such information for their own particular use.